1977 ANNUAL INDEX

Breeding and Hatching

Broiler breeders, avoid extremely late maturity in, 371
  brewer's grains for, 477
  daily protein needs of, 252
  keep weight of, at half capacity, 536
  lighting patterns for, 385
  weigh feed accurately for, 537
Chick processing hours cut by 60%, 362
Egg loss during transfer in hatchery, 375
Fertility, checking, problems, 38
Filtered air hatching helps broiler performance, 495
Fowl typhoid in chicken breeder flock, 427
Genetics must focus on feed and housing costs, 294
Hatch, record time, is pulled, 540
Hatchability, air pressure for holding eggs and, 159
  better, from eggs of older breeders, 239
  biotin and, 158
  B_{12} level and, 348
  protein level and, 348
Hatchery, aspergillosis control in, 200
  waste, vacuum systems for, 408
  waste water management, 15
Hatching eggs, blind checks in, 157
  chilled, cause weak chicks, 238
  size of, and early broiler mortality, 302
  storage times and temperature for, 46
  weight of, and early broiler mortality, 302
Humidifier, squirt quat on egg room. 579
Incubation, egg turning critical in, 416
  lighting eggs during, reduces incubation time, 347
Incubators, operating, for better hatches, 76
Insemination of Leghorns in cages, 254
Large chick-orders can cause problems, 557
Light and feed changes at maturity, 588
Males, unneeded broiler breeder, add to costs, 299
Molting broiler breeder flock increases returns, 347
Strain differences in phosphorus needs, 256
Strains, pigmentation differences in broiler, 380
Three traits affecting layer profits, 580

Broilers

Acute death syndrome in broilers, 158
Ammonia, can cause blindness, 14
  watery breast meat from high. levels, 8
Avoid full crops at processing, 371
Brooding, fuel costs for, cut by 90%, 470
  half-house, 534
Chick quality, breeder flock health and, 329
Chloride requirement for growth, 100
Cleaning and sanitizing houses, 419
Consumption of poultry up, 354
Copper requirements. 566
Corn, replacing, with triticale, 46
Costs, effect of energy levels in feed on, 462
  fuel, for brooding cut by 90%, 470
  what we can do to lower production, 152
Darkling beeties, control of, in litter, 124
Downgrading, due to bruises can be costly, 537
  how to reduce on-farm causes of, 14
Energy, saving, 155, 404, 419, 449, 470, 534
Fast foods—a growing market, 164
Fats, efficiency of various, 207
  M. E. values of, vary, 252
Filtered air hatching helps performance, 495
"Fines," no effect from high percent of, in feed, 324
Growers, how to increase uniformity among, 369
Half-house brooding, can save 20-25% of gas, 534
  ventilation for, 566
Hold chicks in hatcher than in boxes, better to, 580
House, efficient fryer, for high desert, 12
  40-foot wide, best on energy, 449
  modified broiler, pays off in 3½ years, 495
  panels help conserve heat in curtain, 155
Houses, insulating old, to save energy, 419
  results similar in two types of, 495
  solar heat for broiler, has limitations, 537
Insulation, how much, is justified? 158
  in old houses, 419
  more ceiling, cuts gas cost, 407
Iron requirements, 566
Light, intermittent, aids weights, 198, 300, 542
  high intensity, increases bruising, 196
  more feeder space with intermittent, 566
Limited feeding time helps conversion, 495
Litter, advises against re-use of, 11
  carbohydrate addition aids ensiling, 439
  composted garbage tests good as, 90
  control of darkling beetles in. 124
  moisture, outside air affects, 172
  silo affects handling of, silage, 282
Lysine requirements of broiler chicks, 446
Marketing report, expanded broiler, 470
MG and MS, don't be complacent about, 280
Molting breeder flock increases returns, 347
Mortality, breeder age and early, 302
  hatching egg weight and early, 302
NBMA appeals antitrust decision, 306
Nutrients, match, to energy content for growth, 296
Pigmentation, better under natural light, 207
  differences in strains, 300
Production, 99% of broiler, integrated, 548
  why broiler, may not adjust rapidly, 92
Salmonella, sources of, in broiler flocks, 97
Scabby hip disease, five factors in, 38
  higher humidities increase, 256
Shrinkage, effect of dietary energy on, 252, 477
Slipped tendon not due to manganese lack, 46
Sodium, low, can impair growth, 446
Solar heat has limitations, 537
Stressed or problem flocks, managing, 281
Sulfate aids feed efficiency, 446
Testing, how to do unbiased, of broiler stocks, 202
Triticale, replacing corn with, 46
Ventilation, power, benefits grower and contractor, 579
Virginia Tech's heavier broilers, 8
Wheat screenings equal to wheat, 542

Brooding and Rearing

Antibody production, starvation hampers, 544
Brooder hovers, leveling, saves fuel, 199
Chilled hatching eggs, weak chicks, 238
Debeak chicks before Marek's vaccination, 462
Debeaking, high voltage arc for, 427
  the fine art of, pullets, 270
Energy use, where you can reduce, 404
Gas, half-house brooding saves, 534
  more ceiling insulation saves, 407
Goals for your next pullets, 480
Growth patterns altered for better lay, 480
Half-house brooding, 534
Mortality, that early chick, can be reduced, 510
  trouble shooting high early chick, 62
Nutrition concepts, pullet and layer, 436
Pullet, costs, three times to figure, 195
  nutrient needs 1 day to 20 weeks, 36
  replacement program, 81
  12% protein, grow ration savings, 449
  when to start lighting, layer flocks, 322
Pullets, aim for uniformity in, 418
  growing, in cages above hogs, 80
  higher protein for, helps summer egg size, 114
  pennies saved on, may lose dimes later, 155
  roosts for floor-grown, 114
Replacement program, design, to maximize profits, 81
Service LP gas brooders; don't over use pilots, 562
Solar heat for brooding? How soon? 130
Yolk, retained, may not be due to disease, 330

Ducks and Geese

Anatipestifer infection and viral arthritis in ducks, 448
DPW and bacitracin effects on duck growth, 542

Ecology and Waste Handling

DPW, heifers gain more on, range cubes, 522
  interest in, appears to have subsided, 195
  orange concentrate deodorizes, 479
Drug residue violations up, 354
Drug residues, tips for avoiding, 296
Ensiling litter, 282, 439, 538
Fertilizer, enriched poultry manure as, 330

Just in case you're not one of the many POULTRY DIGEST readers who save (even have bound) every issue to form a continuous library of poultry production technology, the following monthly breakdown of our serial numbering system should be helpful:

January	1— 56	July	309—356
February	57—106	August	357—394
March	107—166	September	395—456
April	167—216	October	457—502
May	217—262	November	503—550
June	263—308	December	551—592

1977 ANNUAL INDEX

Breeding and Hatching

Broiler breeders, avoid extremely late maturity in, 371
  brewer's grains for, 477
  daily protein needs of, 252
  keep weight of, at half capacity, 536
  lighting patterns for, 385
  weigh feed accurately for, 537
Chick processing hours cut by 60%, 362
Egg loss during transfer in hatchery, 375
Fertility, checking, problems, 38
Filtered air hatching helps broiler performance, 495
Fowl typhoid in chicken breeder flock, 427
Genetics must focus on feed and housing costs, 294
Hatch, record time, is pulled, 540
Hatchability, air pressure for holding eggs and, 159
  better, from eggs of older breeders, 239
  biotin and, 158
  B_{12} level and, 348
  protein level and, 348
Hatchery, aspergillosis control in, 200
  waste, vacuum systems for, 408
  waste water management, 15
Hatching eggs, blind checks in, 157
  chilled, cause weak chicks, 238
  size of, and early broiler mortality, 302
  storage times and temperature for, 46
  weight of, and early broiler mortality, 302
Humidifier, squirt quat on egg room. 579
Incubation, egg turning critical in, 416
  lighting eggs during, reduces incubation time, 347
Incubators, operating, for better hatches, 76
Insemination of Leghorns in cages, 254
Large chick-orders can cause problems, 557
Light and feed changes at maturity, 588
Males, unneeded broiler breeder, add to costs, 299
Molting broiler breeder flock increases returns, 347
Strain differences in phosphorus needs, 256
Strains, pigmentation differences in broiler, 380
Three traits affecting layer profits, 580

Broilers

Acute death syndrome in broilers, 158
Ammonia, can cause blindness, 14
  watery breast meat from high. levels, 8
Avoid full crops at processing, 371
Brooding, fuel costs for, cut by 90%, 470
  half-house, 534
Chick quality, breeder flock health and, 329
Chloride requirement for growth, 100
Cleaning and sanitizing houses, 419
Consumption of poultry up, 354
Copper requirements. 566
Corn, replacing, with triticale, 46
Costs, effect of energy levels in feed on, 462
  fuel, for brooding cut by 90%, 470
  what we can do to lower production, 152
Darkling beeties, control of, in litter, 124
Downgrading, due to bruises can be costly, 537
  how to reduce on-farm causes of, 14
Energy, saving, 155, 404, 419, 449, 470, 534
Fast foods—a growing market, 164
Fats, efficiency of various, 207
  M. E. values of, vary, 252
Filtered air hatching helps performance, 495
"Fines," no effect from high percent of, in feed, 324
Growers, how to increase uniformity among, 369
Half-house brooding, can save 20-25% of gas, 534
  ventilation for, 566
Hold chicks in hatcher than in boxes, better to, 580
House, efficient fryer, for high desert, 12
  40-foot wide, best on energy, 449
  modified broiler, pays off in 3½ years, 495
  panels help conserve heat in curtain, 155
Houses, insulating old, to save energy, 419
  results similar in two types of, 495
  solar heat for broiler, has limitations, 537
Insulation, how much, is justified? 158
  in old houses, 419
  more ceiling, cuts gas cost, 407
Iron requirements, 566
Light, intermittent, aids weights, 198, 300, 542
  high intensity, increases bruising, 196
  more feeder space with intermittent, 566
Limited feeding time helps conversion, 495
Litter, advises against re-use of, 11
  carbohydrate addition aids ensiling, 439
  composted garbage tests good as, 90
  control of darkling beetles in. 124
  moisture, outside air affects, 172
  silo affects handling of, silage, 282
Lysine requirements of broiler chicks, 446
Marketing report, expanded broiler, 470
MG and MS, don't be complacent about, 280
Molting breeder flock increases returns, 347
Mortality, breeder age and early, 302
  hatching egg weight and early, 302
NBMA appeals antitrust decision, 306
Nutrients, match, to energy content for growth, 296
Pigmentation, better under natural light, 207
  differences in strains, 300
Production, 99% of broiler, integrated, 548
  why broiler, may not adjust rapidly, 92
Salmonella, sources of, in broiler flocks, 97
Scabby hip disease, five factors in, 38
  higher humidities increase, 256
Shrinkage, effect of dietary energy on, 252, 477
Slipped tendon not due to manganese lack, 46
Sodium, low, can impair growth, 446
Solar heat has limitations, 537
Stressed or problem flocks, managing, 281
Sulfate aids feed efficiency, 446
Testing, how to do unbiased, of broiler stocks, 202
Triticale, replacing corn with, 46
Ventilation, power, benefits grower and contractor, 579
Virginia Tech's heavier broilers, 8
Wheat screenings equal to wheat, 542

Brooding and Rearing

Antibody production, starvation hampers, 544
Brooder hovers, leveling, saves fuel, 199
Chilled hatching eggs, weak chicks, 238
Debeak chicks before Marek's vaccination, 462
Debeaking, high voltage arc for, 427
  the fine art of, pullets, 270
Energy use, where you can reduce, 404
Gas, half-house brooding saves, 534
  more ceiling insulation saves, 407
Goals for your next pullets, 480
Growth patterns altered for better lay, 480
Half-house brooding, 534
Mortality, that early chick, can be reduced, 510
  trouble shooting high early chick, 62
Nutrition concepts, pullet and layer, 436
Pullet, costs, three times to figure, 195
  nutrient needs 1 day to 20 weeks, 36
  replacement program, 81
  12% protein, grow ration savings, 449
  when to start lighting, layer flocks, 322
Pullets, aim for uniformity in, 418
  growing, in cages above hogs, 80
  higher protein for, helps summer egg size, 114
  pennies saved on, may lose dimes later, 155
  roosts for floor-grown, 114
Replacement program, design, to maximize profits, 81
Service LP gas brooders; don't over use pilots, 562
Solar heat for brooding? How soon? 130
Yolk, retained, may not be due to disease, 330

Ducks and Geese

Anatipestifer infection and viral arthritis in ducks, 448
DPW and bacitracin effects on duck growth, 542

Ecology and Waste Handling

DPW, heifers gain more on, range cubes, 522
  interest in, appears to have subsided, 195
  orange concentrate deodorizes, 479
Drug residue violations up, 354
Drug residues, tips for avoiding, 296
Ensiling litter, 282, 439, 538
Fertilizer, enriched poultry manure as, 330

Just in case you're not one of the many POULTRY DIGEST readers who save (even have bound) every issue to form a continuous library of poultry production technology, the following monthly breakdown of our serial numbering system should be helpful:

January	1— 56	July	309—356
February	57—106	August	357—394
March	107—166	September	395—456
April	167—216	October	457—502
May	217—262	November	503—550
June	263—308	December	551—592

Flies, automatic spray system for, 186
controlling, with in-house manure storage, 390
rotavating manure aids in control of, 509
Fly control, integrated, is gaining, 184
managing manure for, 579
that costs almost nothing, 236
Hatchery waste, vacuum systems for, 408
water management, 15
Insecticides, precautions when using, 26
Litter, built-up, saves time and money, 141
carbohydrate aids ensiling of broiler, 439
ensiled, for cattle feed, 530
pelleted, as cattle feed, 90
silo affects handling broiler, silage, 282
Manure drying, ways to speed, in pits, 375
Rats, anticoagulants in empty houses control, 39
Rodents, bait stations in control of, 84
build houses to keep out, 134

Eggs

Adenovirus and egg drop syndrome, 159
Antioxidants boost lay in molted hens, 190
Body-checked and misshapen eggs, causes of, 564
Brewers dried grains for layers evaluated, 99
Brown eggs, meat spots in, 474
Brown-egg layers need less protein, 542
Cage density, how to determine correct, 381
less body-checked eggs with reduced, 256
Cages, colony, less profitable, 254
egg breakage in, 64, 256, 449, 524
performance no better in get-a-way, 346
soft-shelled eggs more numerous in, 518
Calcium in excess reduces lay, 448
Check cage watering systems, 80
Cholesterol, lecithin may help in reducing, 364
myths dying, 554
Cold weather management, 467
Consumer egg prices, very little rise in, 316
Consumers aware of "Incredible Edible Egg," 354
Copper in excess affects lay and shells, 347
Curtains, managing, in open-type houses, 579
Egg breakage, cage density and, 256
cage design important factor in, 524
floor wire and slope affects, 64
in cages reduced 50%, 449
more, from disturbing hens in gathering, 172
phosphorus and excessive, 18
Egg checkoff reaches $2.6 million, 118
Egg consumption, gained from promotion, 548
per capita, down, 354
Egg cost study, San Diego county, 224
Egg exports, high freight rates hold back, 354
Egg prices, UEP tells how to offset low, 392
Egg production in 1975-76, 164
Egg quality, interior, oiling on gathering for, 208
pullet-size limestone and, 474
zinc sulfate and, 474
Egg shell damage should not exceed 2%, 479
Egg shell quality, copper in excess affects, 347
ingredient layering could affect, 79
larger eggs with age major cause of poor, 17
manganese and, 474
phosphorus in excess decreases, 98
pullet-size limestone and, 474
Egg shell pore defects permit bacteria entry, 328
Egg shell specific gravity, salt removal reduces, 208
Egg shell thickness, uneven calcium distribution and, 142
Energy, lower wattage bulbs save, 284
Egg size, reaching maximum, quickly, 18
you can do something about, 229
zinc sulfate and, 474
Egg transport rack, on-farm, 11
Eight states produce half of nation's eggs, 190
Fat, added, in summer ups egg costs, 207
extra caloric value of added fat, 208
Feed intake records, accurate, important, 79
Feed restriction, effect of, on sex-link layers, 98
Feeders, getting top lay with automatic, 127
time, to hens' eating habits, 492
Feeding program, different, for Leghorn layers, 464
Field peas replace part of soybean meal, 542
Gentian violet and production, 474
Grit, why feeding, is beneficial, 127
Has the egg changed? 522
Hearts, putting eggs into diet for healthy, 339
High-rise laying house, management in, 400
Humidity/temperature affects hen's energy needs, 46
Lactobacillus and egg production, 474
Layer numbers, 1975-76, 164
Lecithin in reducing cholesterol, 364
Light and feed changes at sexual maturity, 558
Light intensity, don't cut, too much, 494
Lighting, blowouts from early pullet, 294
conserving electricity in layers, 190
4 hours of, daily may be enough, 272
lower wattage bulbs for, 284
Limestone, feeding pullet-size, 474
Management schedule, producer should have, 390
Manganese and shell quality, 474
Molt, fast or slow forced, which is best? 341
forced, reduces uncollectable eggs, 208
mortality highest in first week of, 296
plan layer, for low egg price months, 344
pullet developer cuts time of forced, 157
zinc for force, 42, 292
Nests, chrome tape attracts pullets to, 402
Nutrition, and management in peak lay, 320
concepts, pullet and layer, 436
Nutritional guidelines for commercial layers, 123
Oiling eggs on gathering, 208
Prolapse in layers, 337
Protein, costs, what to do about higher, 274
daily, requirements first 12 weeks of lay, 48
effect of, level and B-12 on lay, 348
Pullet growth patterns altered for better lay, 480
Pullets, fail to bloom? Could be coccidiosis, 450
pennies saved on, may lose dimes on layers, 155
12-13 more eggs by growing, on low calorie diet, 6
Replacement program, design, to maximize profits, 81
Salmonellosis, no problems from eggs for two years, 354
Salt, loss in lay and body weight from no added, 387
removal affects lay and shells, 208
Sand, no harm from feeding 15%, 509
Senate report: "Eggs hazardous to health," 260
Soft bone problems in layers, 445
Soybean meal, field peas can replace part of, 542
Stress, control-fed layers better able to stand heat, 388
signs of, in laying flocks, 249
T-2 toxin effects on layer performance, 303
Temperature/humidity affects hen's energy needs, 46
250 million hens enough to supply nation, 548
Water restriction, sudden, reduces lay, 97
Zinc, for force molting or rest, 42, 292
sulfate impoves egg quality, 474

Feeds and Feeding

Aflatoxin, coping with, problem, 524
in corn in some southern states, 500
Amino acids more critical than protein level, 238
Antibiotic, no bacteria resistance from low-level, 581
Antibiotics, FDA actions on, 214, 260, 460, 548, 582
Antibody production, chick starvation hampers, 544
Antioxidants boost lay in molted hens, 190
Aquatic plants for chicks, nutritive value of, 100
Biotin, aids broiler breeder lay and hatch, 158
availability varies in grains, 387
Brewer's grains, for broiler breeder hens, 477
for layers evaluated, 99
Calcium, excess, reduces egg production, 448
uneven, distribution and shell thickness, 142
Chloride requirement for broiler growth, 100
Copper, evaluated as a feed additive, 208
excess, reduces lay and shell thickness, 347
Corn, Fusarium-infected, did not affect layers, 98
metabolizable energy less in immature, 348
Disease, relationships between nutrition and, 440
DPW and bacitracin and duck growth, 542
Energy, dietary, and shrinkage, 252, 477
Fat, added, in lay feeds in summer ups egg costs, 207
efficiency of types of, in broiler feeds, 207
extra caloric value of added, for layers, 208
M. E. values of feed, varies for broilers, 252
scum on water in drinking troughs may be, 183
Feed costs, don't be complacent about 1977, 164
Feed, have enough, for disrupted deliveries, 248
Feed intake records, accurate, important, 79
Feed restriction, don't practice, during disease, 318
effects on sex-linked layers, 98
Feeders, getting top lay with automatic, 127
Feeding Leghorn layers, a different program for, 464
Field peas can replace part of soybean meal, 542
"Fines," no effect from, in broiler feeds, 324
Fungi problem in broiler houses and feed bins, 158
Genetics must focus on feed and housing costs, 294
Gentian violet, 196, 306, 474
Grain sorghums, tests for high tannin in, 190
Grit, why feeding to layers is beneficial, 127
Grow ration, 12% protein, saves $10 a ton, 449
low calorie, results in 12-13 more eggs, 6
Identity of feed, maintain, all the way, 238
Ingredient, layering could affect shell quality, 79
variation shows need for analysis, 195
Inventory feed tanks, an easy way to, 508
Kentucky bluegrass suitable for broilers, 580
Lactobacillus and egg production, 474
Limestone, feeding pullet-size, 474
Lysine requirements of broiler chicks, 446
Manganese, and shell quality, 474
slipped tendon not due to, deficiency, 46
Methionine sources, relative efficiency of, 99
Milo, tests for high tannin in, 190
weathered, suitable if free of mycotoxins, 302
Nutrients, match, to energy for broiler growth, 296
Nutrition, in immunity production, 127
management and, in peak lay, 320
pullet and layer concepts that differ, 436
relationships between, and disease, 440
why poultry, is much more critical, 186
Palatable, fresh feed more, 20
Pellet binder, grain byproduct as, 387
less of, corrects problem, 387
Pellets, no advantage in, for layers, 50
Phosphate, biological availability of feed grade, 349
Phosphates, why soft, may improve conversion, 127
Phosphorus, effect of low, on turkey hens, 303
excess, decreases shell quality, 98
how much is enough for layers? 556
strain differences in, needs, 256
Potassium needs, hen's, 46
Protein, B-12 and, level effect on hatch and lay, 348
brown-egg layers grow and lay on less, 542
daily, needs for first 12 weeks of lay, 48
higher, for pullets helps summer egg size, 114
what to do about higher, costs, 274
Riboflavin needs of chicks higher in hot climate, 385
Rye interferes with vitamin D absorption, 387
Salt, drop in lay and body weight from no added, 387
removal reduces lay and egg specific gravity, 208
Sample every load of feed, 292
Sand, no harm to lay or egg weight from 15%, 509
Selenium, biological availability of, affects need, 210
deficiency, many possible causes of, 302
Shrinkage, dietary energy and, 252, 477

Sodium, housing affects layer, needs, 347
low, can impair broiler growth, 446
Soybean meal, field peas can replace part of, 542
Sulfate aids broiler feed efficiency, 446
Tannin, test for high, in milo, 190
Tetracyclines, proposed restriction of, 260
Toxaphene, effects of low level of, 92
Triticale, replacing corn with, 46
Water, high nitrate in, toxic to chicks, 204
Water restriction, sudden, reduces lay, 97
Wheat screenings equal to wheat, 542
Vitamin D absorption, rye interferes with, 387
Zinc, as a force molt or resting agent, 42, 292
sulfate improves egg quality, 474

Housing and Equipment

Alarm, "systems" failure requires more than power-off, 20
Cage density, body-checked eggs and, 256
how to determine your correct, 381
Cage design, egg breakage and, 64, 524
Cages, colony, less profitable, 254
insemination of Leghorns in, 254
performance no better in 'get-a-way', 346
Cold weather management, 467
Cooling, evaporative, systems require maintenance, 436
fogging at air intake results in most, 116
Costs, genetics must focus on feed and housing, 294
Energy, 40-foot wide broiler house best on, 449
make those, savings, 360
saving, takes more than flip of switch, 226
where you can reduce use of, 404, 566
Equipment, tell employees how to operate, 26
Fan motors, prevent premature burnout of, 318
Fans, certified VER rating needed for, 314
use circulating, with minimal ventilation, 416
Feed tanks, an easy way to inventory, 508
Feeders getting top lay with automatic, 127
Fires, most poultry house, electrical in origin, 186
Fryer house, an efficient. for the high desert, 12
Grow cages, pullets in, hogs in pit below, 80
High-rise laying house, management in, 400
Insulation, brings good investment return, 80
ceiling, cuts LP gas cost, 407
damaged. may no longer be effective, 155
how much broiler house, is justified? 158
in old broiler houses, 419
panels conserve heat in curtain house, 155
vapor barrier required for all, 400
Light bulbs, selecting, for least cost, 174
Lighting, examples of wasted electricity for, 344
Lightning, protect poultry houses from, 346
Machines can't do your thinking! 318
Manure drying in pits, ways to speed, 375
Modified broiler house pays off in 3½ years, 495
Nests, chrome tape attracts pullets to, 402
Penta-treated wood need not cause problems, 295
Power outage, be prepared for, 299
what to do in a, 330
Rodents, build poultry houses to keep out, 134
Roosts recommended for floor-grown pullets, 114
Safety precautions around poultry equipment, 299
Sodium, housing affects. needs of layers, 347
Solar energy, figuring cost of, 134
for broiler houses has limitations, 537
for brooding? How soon? 130
Standby generators, need regular attention, 522
schedule regular runs of, 284
Ventilation, circulating fans with minimal, 416
effective and lower cost mechanical, 483
Washers, care and use of high pressure detergent, 430
Watering systems, check cage, 80

Management

Accidents, don't let, happen, 146
read label to prevent pesticide, 226
Employee turnover, promotion from within cuts, 245
Employees, ranch, help in decision making, 246
we let our, know how they are doing, 246
Energy, conserving, 16, 80, 360, 404, 566
Hauling birds to diagnostic laboratory, 327
Machines can't do your thinking! 318
Management schedule, egg producer should have, 390
Personnel practices that work for us, 245
Preventive maintenance, making, work, 22
Safety precautions around equipment, 299
Select 10 most important daily tasks, 20
Use egg profits wisely, 61

Miscellaneous

Activists in the driver's seat, 266
Antibiotic, action baffling, 460
AVMA views on FDA, proposal, 548
ban, producers should state views on, 354
theoretical basis for, opposed. 284
Antibiotics not out of woods yet, 214
Antitrust decision on broiler firms, 306, 454
Babcock Industries to pharmaceutical firm, 548
Broiler egg settings dip after heat, 454
Cholesterol, alcohol causes rise in, 349
blood, not affected by food eaten, 346
no single substance in blood, 296
Coupons add value to eggs, 104
Defensive research, 61
Delaney clause, 171, 214
Dietary goals, those, 398
Drought warnings and what to do, 164
Dust, don't inhale, wear a filter mask, 20
Egg checkoff reaches $2.6 million, 118
Egg markets, unexpected freeze warms up, 104
Egg supply, increasing, causing concern, 392
Fast food outlets for broilers, 164, 318
Gentian violet, court ruling on, 306
Ground bone, hot dogs may have 3%, 548
Human foods, feeds do not compete with, 291
If we hadn't mechanized . . ., 360
Improvement plan proposal reversed, 454
Inedible poultry use in pet foods. 392
Integrators produce most of broilers and eggs, 318
Land reform coming? 506
Nitrite and nitrate use long sanctioned, 354
PCB tolerance levels, FDA lowers, 260
PEIA to move to Washington, 260
Penicillin proposal, Pfizer asks hearing on, 500
Per capita egg use down; poultry and turkey up, 354
Poultry a good money-maker in 1976, 306
Poultry Digest, editorial concept continues, 316
has new owner, 312
Poultry Hall of Fame. 104, 439, 576
Poultry inspection study now being evaluated, 392
Poultry Science Ass'n meeting, awards at, 470
research highlights, 474
turkey research highlights, 526
Price fixing a dangerous game, 5
Pricing, progress in egg, tremendous, 118
Profits, lower feed costs help, 500
Regional co-op for southern California, 354
Retailers, two-thirds of eggs go through, 344
School lunch program, three eggs/week limit in, 500
'Science court' logical, 316
$10,000 chicken recipe, 454
Tetracycline restriction proposed, 260
Transportation and food delivery, 214
Truck drivers of broiler firm under NLRB, 104
Turkey ham products, meat groups decry, 260
Urner Barry quotes to recognize discounting, 500
Wage/hour rules, California, cause problems, 104
White House egg roll to use real eggs, 214
World's Poultry Congress, 200, 306, 350, 454, 486, 568

Poultry Health

Acute death syndrome in broilers, 158
Adenovirus, associated with egg drop syndrome? 159
in pheasants. 438
inclusion body hepatitis from, 252
maternal antibody protects against. 300
no cross immunity with. vaccines, 581
pathogenic, isolated from turkeys, 100
Adenoviruses, are, pathogenic? 44
some, may be hard to isolate, 207
vary in potential, 438
Aflatoxin, coping with. problem, 524
impairs immunity, 437
in corn in some southern states, 500
loss of bone strength from, 582
Air spread of HVT rare, 44
Airsacculitis, another mycoplasma may cause, 544
antibiotics effective for MM. 446
cool temperature increases, 385
Ammonia, broilers can go blind from, burns, 14
worsens respiratory problems, 382
Anatipestifer in ducks, 448
Antibiotic resistance, is, transferable to man? 283
Antibiotics, FDA and 164. 214. 260. 284. 354. 460, 500, 548
Antibody, check IBD, before vaccinating chicks, 159
from egg yolk, 272
maternal, protects against adenovirus, 300
MM impairs, response in turkeys. 496
parental, protects against viral arthritis, 207
prevent low, production, 450
starvation hampers, production, 544
Aortic rupture. copper lack may influence, 350
Arizona hinshawii, new test for, 254
Arizona paracolon, eradication of, as goal, 449
Aspergillosis, controlling, in hatchery, 200
Avian influenza. oil-emulsion vaccine for, 439
swine reservoir for, 439
Blackhead, chickens have potential for spreading, 207
Blowouts, early lighting of pullets and, 294
Bluecomb may require diagnosis, 256
Botulism, selenite crystal broth for, 346
Cannibalism, debeaking to prevent, 270
Chick mortality, trouble shooting high early, 62
Chick quality, broiler breeder health and, 329
Chiggers, treat turkey range to control, 289
Chronic respiratory disease treatment, 477
Clean before disinfecting, 90
Cleaning and sanitation of broiler houses, 419
Coccidia, how, why and where of, control, 378
not resistant to monensin, 477
Coccidiosis, bursal disease interference, 302
continuous anticoccidial feeding for, 477
pullets fail to bloom? Could be, 450
reduces egg yolk color, 44
Coffee bean seed toxic to layers, 255
Coryza, bacterin safe and effective, 544
in young poults, 439
vaccine to become available, 6
Darkling beetles, control of. in litter, 124
Debeak chicks before Marek's vaccination, 462
Debeaking, the fine art of, 270
Diagnostic laboratory, handling birds for, 326
hauling birds to, 327
Drugs on hand aid quick response to disease, 250
Enteritis, bacitracin for necrotic, 447
hemorrhagic, in very young poults, 388
minor intestinal damage enhances necrotic, 446
E. coli, conditions lowering resistance to, 479
Fatty liver, hardness of water and, 208, 348
Foot pad dermatitis, more severe on wet litter, 347
related to rations and litter, 210

Fowl cholera, 88, 222, 348, 366, 385, 389, 446, 450, 496, 538
366, 385, 389, 446, 450, 496
Fowl pox, cause of wet, uncertain, 282
in chicken breeder flock, 427
Marek's and, vaccines compatible, 97
Frustrations, chickens pace more to ease, 248
Fungi problem in broiler houses and feed bins, 158
Fusarium-infected corn did not affect layers, 98
Gentian violet effective antifungal agent, 196
Gumboro (see infectious bursal disease)
HI test should be standardized, 438
Kinky back cause not entirely clear, 300
Immunity, aflatoxin impairs, 437
good serum samples in monitoring, 568
Gumboro interferes with coccidiosis, 302
infectious bursal disease impairs, 380, 437
nutrition important in, 127
parental, in ND-IB booster programs, 295
Inclusion body hepatitis, adenovirus and, 252
bursal destruction enhances, 97
immune status to IBD affects, susceptibility, 580
Infectious bronchitis, cross protection in, 439
minimize effects of variant, viruses, 40
parental immunity in ND-, booster programs, 295
revaccination for, in densely populated areas, 582
Infectious bursal disease, aflatoxins and, 437
check, antibody before vaccinating chicks, 159
inclusion body hepatitis and, 97
interferes with immunity, 300
Marek's and, vaccines given same time, 251
Marek's "breaks" and, vaccination, 92, 157
more research needed on, 92
symposium expands, knowledge, 520
Laryngotracheitis, adequate immunity important in, 580
avoid, vaccine breaks, 543
virus shed from trachea, 496
Lice, body, in cage layers, 493
Lymphoid leukosis, androgen may prevent, 496
Man biggest spreader of poultry diseases, 92
Management most important in disease control, 44
Marek's disease, aerosol vaccination needs refining, 543
"breaks" and Gumboro vaccination, 92, 157
debeak chicks before, vaccination, 462
duration of, immunity, 438
effect of HVT and, isolates, 438
fowl pox and, vaccines compatible, 97
Gumboro and, vaccines given same time, 251
handling, vaccine diluents, 444
has protection from, declined? 278
mixing pox and, vaccines, can cause problems, 582
sterilize equipment for, vaccination, 280
Mites, cold weather caused, on turkey breeder hens, 183
control fowl, when detected, 280
mice a factor in spread of fowl, 495
northern fowl, reduce semen, 580
Molds can occur at any season, 488
Molt, mortality highest in first week of forced, 296
Monitoring flock health, 33
Mycoplasma gallisepticum, bacterins studied, 438
control of, in layers, 437
don't be complacent about, in broilers, 280
eradication of, successful, 437
immunization not for all-in all-out, 387
more eggs from, vaccinated flocks, 92
preventing spread of, 438
severe drops in lay from, "breaks" 540
variant, strains, cause problems, 385
Mycoplasma, meleagridis, antibiotics for, airsacculitis, 446
can be eliminated, 350
impairs antibody response in turkeys, 496
turkey hatch better if free of, 346
Mycoplasma synoviae, don't be complacent about, 280
Mycoplasmas, goal should be eradication of, 486
Mycotoxins, can make problems more severe, 234
living with problem of, 292
occur at any season, 488
weathered milo suitable if free of, 302
Newcastle disease, day-old vaccination for, 200
HI test may not show, immunity, 200
immunity best from aerosol vaccination, 159
in Mexico, 438
new diagnostic method for, 75
parental immunity in IB-, booster programs, 295
report bird smuggling to counter, threat, 500
VVND, in U. S. longer than realized, 66
no, in commercial flocks, 248
policy, 214, 220
strikes in Virginia, 164
Nitrate, high, in water toxic to chicks, 204
Nutrition, relationships between, and disease, 440
Ochratoxicosis, high death loss in, 544
Omphalitis from Clostridium, 159
Ornithosis, wildlife involvement in, 44
Outsider may spot problem before manager, 240
Penta-treated wood should not cause problems, 295
Postmortems by producers can be useful, 372
Poultry Health Handbook revised, 468
Prolapse: A problem of recent concern, 337
Prolapse, light and temperature in pickout-, 568
Recognize poultry diseases early, how to, 187
Round heart disease, added salt not involved in, 302
Salmonella, control needed, 342
enzyme test speeds, detection, 90
no, problems from eggs for two years, 354
sources of, infection in broiler flocks, 97
Scabby hips, five factors in, 38
higher humidity increases, 256
Soft bone problems in layers, 445
Spleen disease in chickens, 582
Starvation hampers antibody production, 544
Stress, don't restrict feed during disease, 318
more preening and pacing in, 248
signs of, in laying flock, 249
T-2 toxin affects layer performance, 303
Toxaphene, effects of low level, 92
Turkey breast muscle degeneration, 494
Update on current poultry disease research, 437
Vaccinations, timing of, important, 84
Viral arthritis, and MS in replacements, 449
first report of, in Leghorns, 160
in ducks, 448
parental antibody protects against, 207
vaccine results promising, 300
Winter, unusual, affects poultry, 110
Yolk, retained, may not be disease, 330

Turkey Production

Aortic rupture, copper deficiency may influence, 350
Arizona paracolon, eradication goal for, 449
Avian influenza, how, enters flock uncertain, 479
oil-emulsion vaccine for, 439
swine reservoir for, 439
Blackhead, chicken potential for spreading, 207
Blisters fewer on range, 526
Body weight and tom performance, 384
Breeder hens, fewer, 548
getting more settable eggs from, in summer, 328
nutrient requirements of, 545
Broodiness, controlling, 88, 289, 328, 444
Breast muscle degeneration reproduced, 494
Cages, more eggs from turkeys in, 529
Calcium and hatchability, 388, 529
Chiggers, treat range to control, 289
Confinement, added cost of, 249
more salable eggs from, 84
Consumption per capita up, 354
Coryza in young poults, 439
Cost, 33.8 cents, in California study, 144
Minnesota has feed, advantage, 576
pelleting may reduce feed, 28
sees higher, to produce, 328
Delayed placement of poults, 526
Distiller's grains improve lay, 529
Drugs, do not replace good management, 290
injection of, sometimes better, 328
on hand aid quick response to disease, 250
Egg production, biotin and, 100
calcium and, 303, 388
in cages higher, 529
low protein pre-breeder diet reduces, 526
more, if grown on low energy feed, 160
temperature affects, 447
Eggs, defective, increased by multiple lay, 160
getting more settable, in summer, 328
E. coli, lowered resistance to, 479
Fat, high, increases costs, 529
Feed intake, measure, of growing turkeys, 84
Fertility, insemination methods and, 496
Foot pad lesions related to rations and litter, 210
Fowl cholera, bacterins, protection from, by, 348, 385
CU, vaccine working in Missouri, 446
how to vaccinate for, 366
repeat, breeder vaccinations, 389
revaccinate after, 'break,' 538
vaccine, temperature affects, 222
ups livability and grade, 88
Genetic defect in turkeys reported, 296
Green muscle disease, 'candling' detects, 366
Growth, light color and, 529
not as good on wet corn, 48
unidentified, factors in ingredients, 210
Hatchability, better from MM-free breeders, 346
biotin and, 100
calcium and, 388, 529
low protein pre-breeder diet reduces, 526
vitamin D_3 increases, 160
Hemorrhagic enteritis in very young poults, 388
Highlights of Poultry Science research, 526
House, continuous brooding and growing, 85
confinement, adds 2 cents a pound to cost, 249
Housing, utilizing, more efficiently, 6
Insemination, frequency of, 157, 529
methods and fertility, 496
Late-hatch poults, don't discard, 529
Light, color and growth, 529
earlier maturity on intermittent, 328
more semen volume with artificial, 582
Manure eating, no need to control, 538
Minnesota still top turkey state, 328
Mites on breeder hens caused by cold weather, 183
Mortality, in early hatching poults, 289
placement of poults and, 526
Mycoplasma meleagridis. (See "Poultry Health")
Nonlayers, why some turkey hens are, 496
Nutrient requirements of breeder hens, 545
PCB contamination less toxic to poults, 256
Pelleting may reduce feed costs, 28
Phosphorus, low, effect on breeder hens, 303
value of, from fertilizer phosphates, 46
Probiotics produce variable results, 249
Profitability, how crop size affects, 195
Round heart disease, added salt not factor in, 302
Selenium, feed breeders maximum, allowed, 576
Slatted floors increase energy needs, 448
Starve-outs, flashing colored lights cut, 485
Temperature, lower starting, for brooding, 526
too low, in rearing, avoid, 576
The poults' first 10 days, 178
Toms, body weight of, and performance, 384
feed and light restriction of, 28
Turkey ham products, meat groups decry, 260
Turkey pastrami liked, 346
Wheat suitable for turkeys, 422
Wood furnaces for supplemental heat, 390
Yucca saponin in starter cuts mortality, 144